

JARGY CO., LTD.

Test Report

Model :CBL-D302MBSWB-15m

Ver : 1.0

Date : 2018/2/21

Camera Brand Name :MATRIX VISION

Test Platform

Type	USB3 CAM Control System		
Model	Advantech AIIS-1440		
OS	Windows 7 Pro 64-bit		
CPU	Intel Core i7-3770		
HDD	SATA III 500GB		
RAM	DDR3 16GB		
USB 3.0	Dedicated controller 4 Ports (uPD720202)		

Tested Camera : mvBlueFOX3-2024C (1936 x 1216, 2.4MP, 162fps, 388MB/s)

Tested time : 158h



wxPropView (2.17.2.2009) [FF000035 (mvBlueFOX3-2024C, DeviceID: 0)](driver version: 2.17.2.2009)

Action Capture Wizards Settings Help

FF000035 (mvBlueFOX3-2024C, DeviceID: 0) Use Update Quick Setup Continuous Acquire Abort Unlock Rec. Prev. Next 0 1000

User Experience: Guru

Hierarchy

- Grid
- Selector
- Display
- Incomp.
- Monitor
- Analysis
- Sync. AOI
- Wizard
- Find
- Info
- Help
- About
- Logs

Image Format Control	
Acquisition Control	
Acquisition Mode	Continuous
Exposure Mode	Timed
Exposure Time	6000.000
Exposure Auto	Off
Trigger Selector	
Trigger Selector	FrameStart
mv Acquisition Frame Rate Limit Mode	mvDeviceLinkThroughput
mv Acquisition Frame Rate Enable	On
Acquisition Frame Rate	143.000
Acquisition Frame Count	1
mv Acquisition Memory Mode	Default
mv Acquisition Memory Max Frame Count	55
mv Resulting Frame Rate	143.000
Counter And Timer Control	
Analog Control	
mv Logic Gate Control	
Chunk Data Control	
File Access Control	
Digital IO Control	
Sequencer Control	
Test Control	
Transport Layer Control	
User Set Control	
GenTL	
ImageRequestTimeout_ms	2000 ms
ImageProcessing	
ImageDestination	
RequestInfo	

FPS: 143.0, Display Frame Rate: 3... 336.59 MB/s, Frame Buffer Usage: 0... Frames: 81464554 Errors: 0 Timeouts: 0 Aborted: 0 Lost: 0 Incomplete: 0 Image: 1936x1216, RGBx888Packed (3, 278): 0(R), 0(G), 0(B)

開始 e Eye SEN m v m

上午 08:00 2018/2/21