

JARGY CO., LTD.

Test Report

Model : [CBL-D302MBSWB-20m](#)

Ver : 1.0

Date : 2018/7/5

Camera Brand Name : [FLIR \(Point Grey\)](#)

Test Platform

Type	USB3 CAM Control System		
Model	Advantech AIIS-1440		
OS	Windows 7 Pro 64-bit		
CPU	Intel Core i7-3770		
HDD	SATA III 500GB		
RAM	DDR3 16GB		
USB 3.0	Dedicated controller 4 Ports (uPD720202)		

Tested Camera : [GS3-U3-23S6C-C](#) (1920 x 1200, 2.3MP, 162fps, 375MB/s)


Tested time : [72h](#)



禁止攝影
No Photos & Video


禁止攝影
No Photos & Video

GS3-U3-23S6C



Camera Information

- Frame rate**
 - Processed: 152.17 fps
 - Displayed: 151.78 fps
 - Requested: 150.94 fps
 - Received: 151.83 fps
- Timestamp**
 - Seconds: Thu Jul 05 10:24:33 2018
 - Microseconds: 706250
 - Camera timestamp seconds: 109
 - Camera timestamp count: 5073
 - Camera timestamp offset: 0734
- Image**
 - Width: 1920
 - Height: 1200
 - Pixel format: Raw 8
 - Bits per pixel: 8
- Embedded image information**
- Diagnostics**
 - Skipped frames: 0
 - Link recovery count (camera): 0
 - Link recovery count (host): 0
 - Transmit failures: 0
 - Packet Resend Requested: 0
 - Packet Resend Received: 0
 - Time since initialization: 72h 44m 41s
 - Time since last bus reset: 72h 44m 41s



Bandwidth(MB/s):345