







L:
 CBL-HFD3igMBSS-4m 4000mm±30mm
 CBL-HFD3igMBSS-5m 5000mm±30mm
 CBL-HFD3igMBSS-6m 6000mm±30mm

No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	ABS ASSEMBLY HOUSING, BLACK COLOR
5.	SCREW:#4x33 M2
6.	SCREW:#4x34.5 M2
7.	




Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSS-xm				mm
Drawing Name	Drawn	Date	REV.	
USB 3.0 A to MicroB Cable M/M				1.0




L:
 CBL-HFD3igMBSS-4m 4000mm±30mm
 CBL-HFD3igMBSS-5m 5000mm±30mm
 CBL-HFD3igMBSS-6m 6000mm±30mm

No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	PVC MOLDED HOUSING, BLACK COLOR
5.	SCREW:#4x33 M2
6.	SCREW:#4x34.5 M2
7.	

USB A(M)	PIN OUT	USB MicroB(M)
1 ———	RED	1 ———
2 ———	WHITE	2 ———
3 ———	GREEN	3 ———
4 ———	BLACK	5 ———
5 ———	BLUE	6 ———
6 ———	YELLOW	7 ———
7 ———	DRAIN WIRE	8 ———
8 ———	PURPLE	9 ———
9 ———	ORANGE	10 ———
SHELL ———	BRAID	SHELL ———



Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSS-xm				mm
Drawing Name	Drawn	Date	REV.	
USB 3.0 A to MicroB Cable M/M				1.0




L:

CBL-HFPD3igMBSS-4mLA	4000mm±30mm
CBL-HFPD3igMBSS-5mLA	5000mm±30mm
CBL-HFPD3igMBSS-6mLA	6000mm±30mm


No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	ABS ASSEMBLY HOUSING, BLACK COLOR
5.	SCREW:#4x33 M2
6.	PVC MOLDED HOUSING, BLACK COLOR
7.	SCREW:#4x34.5 M2

USB A(M)




PIN OUT

USB MicroB(M)




CBL-HFD3igMBSH-XmLA
With short locking screws



SCREW:#4x23.32 M2

Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSS-xmLA				mm
Drawing Name	Drawn	Date	REV.	
USB 3.0 A to MicroB Cable M/M				1.0




L:

CBL-HFPD3igMBSHN-4mLA 4000mm±30mm
 CBL-HFPD3igMBSHN-5mLA 5000mm±30mm
 CBL-HFPD3igMBSHN-6mLA 6000mm±30mm

No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	ABS ASSEMBLY HOUSING, BLACK COLOR
5.	SCREW:#4x23.32 M2
6.	PVC MOLDED HOUSING, BLACK COLOR
7.	SCREW:#4x34.5 M2

USB A(M)	PIN OUT	USB MicroB(M)
1	RED	1
2	WHITE	2
3	GREEN	3
4	BLACK	5
5	BLUE	6
6	YELLOW	7
7	DRAIN WIRE	8
8	PURPLE	9
9	ORANGE	10
SHELL	BRAID	SHELL


Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSHN-xmLA				mm
Drawing Name		Drawn	Date	REV.
USB 3.0 A to MicroB Cable M/M				1.0



L:
 CBL-HFD3igMBSH-4mLA 4000mm±30mm
 CBL-HFD3igMBSH-5mLA 5000mm±30mm
 CBL-HFD3igMBSH-6mLA 6000mm±30mm


PIN OUT

USB A(M)



SHELL

USB MicroB(M)




BRAID

SHELL

No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	PVC MOLDED HOUSING, BLACK COLOR
5.	SCREW:#4x23.32 M2
6.	SCREW:#4x34.5 M2
7.	


Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSH-xmLA				mm
Drawing Name		Drawn	Date	REV.
USB 3.0 A to MicroB Cable M/M				1.0



L:
 CBL-HFD3igMBSS-4mRA 4000mm±30mm
 CBL-HFD3igMBSS-5mRA 5000mm±30mm
 CBL-HFD3igMBSS-6mRA 6000mm±30mm


No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	ABS ASSEMBLY HOUSING, BLACK COLOR
5.	SCREW:#4x33 M2
6.	PVC MOLDED HOUSING, BLACK COLOR
7.	SCREW:#4x34.5 M2

USB A(M)




PIN OUT


USB MicroB(M)



CBL-HFD3igMBSH-XmRA
 With short locking screws



Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSS-xmRA				mm
Drawing Name		Drawn	Date	REV.
USB 3.0 A to MicroB Cable M/M				1.0




L:

CBL-HFPD3igMBSHN-4mRA 4000mm±30mm
 CBL-HFPD3igMBSHN-5mRA 5000mm±30mm
 CBL-HFPD3igMBSHN-6mRA 6000mm±30mm

No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	ABS ASSEMBLY HOUSING, BLACK COLOR
5.	SCREW:#4x23.32 M2
6.	PVC MOLDED HOUSING, BLACK COLOR
7.	SCREW:#4x34.5 M2


USB A(M)		PIN OUT	USB MicroB(M)	
1	—	RED	1	—
2	—	WHITE	2	—
3	—	GREEN	3	—
4	—	BLACK	5	—
5	—	BLUE	6	—
6	—	YELLOW	7	—
7	—	DRAIN WIRE	8	—
8	—	PURPLE	9	—
9	—	ORANGE	10	—
SHELL		BRAID	SHELL	

Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSHN-xmRA				mm
Drawing Name		Drawn	Date	REV.
USB 3.0 A to MicroB Cable M/M				1.0




L:
 CBL-HFD3igMBSH-4mRA 4000mm±30mm
 CBL-HFD3igMBSH-5mRA 5000mm±30mm
 CBL-HFD3igMBSH-6mRA 6000mm±30mm

PIN OUT




No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	PVC MOLDED HOUSING, BLACK COLOR
5.	SCREW:#4x23.32 M2
6.	SCREW:#4x34.5 M2
7.	

Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSH-xmRA				mm
Drawing Name		Drawn	Date	REV.
USB 3.0 A to MicroB Cable M/M				1.0




L:
 CBL-HFD3igMBSS-4mUA 4000mm±30mm
 CBL-HFD3igMBSS-5mUA 5000mm±30mm
 CBL-HFD3igMBSS-6mUA 6000mm±30mm

USB A(M)	PIN OUT	USB MicroB(M)
1 ———	RED	1 ———
2 ———	WHITE	2 ———
3 ———	GREEN	3 ———
4 ———	BLACK	4 ———
5 ———	BLUE	5 ———
6 ———	YELLOW	6 ———
7 ———	DRAIN WIRE	7 ———
8 ———	PURPLE	8 ———
9 ———	ORANGE	9 ———
SHELL ———	BRAID	SHELL ———



No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	ABS ASSEMBLY HOUSING, BLACK COLOR
5.	SCREW:#4x33 M2
6.	PVC MOLDED HOUSING, BLACK COLOR
7.	SCREW:#4x34.5 M2

Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSS-xmUA				mm
Drawing Name	Drawn	Date	REV.	
USB 3.0 A to MicroB Cable M/M				1.0




L:

CBL-HFPD3igMBSHN-4mUA 4000mm±30mm
 CBL-HFPD3igMBSHN-5mUA 5000mm±30mm
 CBL-HFPD3igMBSHN-6mUA 6000mm±30mm

No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	ABS ASSEMBLY HOUSING, BLACK COLOR
5.	SCREW:#4x23.32 M2
6.	PVC MOLDED HOUSING, BLACK COLOR
7.	SCREW:#4x34.5 M2


USB A(M)		PIN OUT	USB MicroB(M)	
1	—	RED	1	—
2	—	WHITE	2	—
3	—	GREEN	3	—
4	—	BLACK	5	—
5	—	BLUE	6	—
6	—	YELLOW	7	—
7	—	DRAIN WIRE	8	—
8	—	PURPLE	9	—
9	—	ORANGE	10	—
SHELL		BRAID	SHELL	

Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSHN-xmUA				mm
Drawing Name		Drawn	Date	REV.
USB 3.0 A to MicroB Cable M/M				1.0




L:
 CBL-HFD3igMBSS-4mDA 4000mm±30mm
 CBL-HFD3igMBSS-5mDA 5000mm±30mm
 CBL-HFD3igMBSS-6mDA 6000mm±30mm

USB A(M)	PIN OUT	USB MicroB(M)
1 ———	RED	1 ———
2 ———	WHITE	2 ———
3 ———	GREEN	3 ———
4 ———	BLACK	4 ———
5 ———	BLUE	5 ———
6 ———	YELLOW	6 ———
7 ———	DRAIN WIRE	7 ———
8 ———	PURPLE	8 ———
9 ———	ORANGE	9 ———
SHELL ———	BRAID	SHELL ———



No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	ABS ASSEMBLY HOUSING, BLACK COLOR
5.	SCREW:#4x33 M2
6.	PVC MOLDED HOUSING, BLACK COLOR
7.	SCREW:#4x34.5 M2

Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSS-xmDA				mm
Drawing Name	Drawn	Date	REV.	
USB 3.0 A to MicroB Cable M/M				1.0




L:

CBL-HFPD3igMBSHN-4mDA 4000mm±30mm
CBL-HFPD3igMBSHN-5mDA 5000mm±30mm
CBL-HFPD3igMBSHN-6mDA 6000mm±30mm

No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	ABS ASSEMBLY HOUSING, BLACK COLOR
5.	SCREW:#4x23.32 M2
6.	PVC MOLDED HOUSING, BLACK COLOR
7.	SCREW:#4x34.5 M2

USB A(M)	PIN OUT	USB MicroB(M)
1	RED	1
2	WHITE	2
3	GREEN	3
4	BLACK	5
5	BLUE	6
6	YELLOW	7
7	DRAIN WIRE	8
8	PURPLE	9
9	ORANGE	10
SHELL	BRAID	SHELL


Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSHN-xmDA				mm
Drawing Name	Drawn	Date	REV.	
USB 3.0 A to MicroB Cable M/M				1.0



L:
 CBL-HFD3igMBSS-7m 7000mm±50mm
 CBL-HFD3igMBSS-8m 8000mm±50mm
 CBL-HFD3igMBSS-9m 9000mm±50mm

PIN OUT


USB A(M)



SHELL


RED
 WHITE
 GREEN
 BLACK
 BLUE
 YELLOW
 DRAIN WIRE
 PURPLE
 ORANGE
 BRAID

USB MicroB(M)




SHELL

CBL-HFD3igMBSH-Xm With short locking screws





No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	ABS ASSEMBLY HOUSING, BLACK COLOR
5.	SCREW:#4x33 M2
6.	SCREW:#4x34.5 M2
7.	

Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSS-xm				mm
Drawing Name		Drawn	Date	REV.
USB 3.0 A to MicroB Cable M/M				1.0




L:
 CBL-HFD3igMBSS-7m 7000mm±50mm
 CBL-HFD3igMBSS-8m 8000mm±50mm
 CBL-HFD3igMBSS-9m 9000mm±50mm



No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	PVC MOLDED HOUSING, BLACK COLOR
5.	SCREW:#4x33 M2
6.	SCREW:#4x34.5 M2
7.	

Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSS-xm				mm
Drawing Name		Drawn	Date	REV.
USB 3.0 A to MicroB Cable M/M				1.0




L:

CBL-HFD3igMBSS-7mLA	7000mm±50mm
CBL-HFD3igMBSS-8mLA	8000mm±50mm
CBL-HFD3igMBSS-9mLA	9000mm±50mm


No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	ABS ASSEMBLY HOUSING, BLACK COLOR
5.	SCREW:#4x33 M2
6.	PVC MOLDED HOUSING, BLACK COLOR
7.	SCREW:#4x34.5 M2

USB A(M)




PIN OUT


USB MicroB(M)



CBL-HFD3igMBSH-XmLA
With short locking screws



Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSS-xmLA				mm
Drawing Name	Drawn	Date	REV.	
USB 3.0 A to MicroB Cable M/M				1.0




L:

CBL-HFD3igMBSHN-7mLA 7000mm±50mm
 CBL-HFD3igMBSHN-8mLA 8000mm±50mm
 CBL-HFD3igMBSHN-9mLA 9000mm±50mm

No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	ABS ASSEMBLY HOUSING, BLACK COLOR
5.	SCREW:#4x23.32 M2
6.	PVC MOLDED HOUSING, BLACK COLOR
7.	SCREW:#4x34.5 M2

USB A(M)		PIN OUT	USB MicroB(M)	
1	—	RED	1	—
2	—	WHITE	2	—
3	—	GREEN	3	—
4	—	BLACK	5	—
5	—	BLUE	6	—
6	—	YELLOW	7	—
7	—	DRAIN WIRE	8	—
8	—	PURPLE	9	—
9	—	ORANGE	10	—
SHELL		BRAID	SHELL	

Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSHN-xmLA				mm
Drawing Name		Drawn	Date	REV.
USB 3.0 A to MicroB Cable M/M				1.0




L:
 CBL-HFD3igMBSH-7mLA 7000mm±50mm
 CBL-HFD3igMBSH-8mLA 8000mm±50mm
 CBL-HFD3igMBSH-9mLA 9000mm±50mm

No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	PVC MOLDED HOUSING, BLACK COLOR
5.	SCREW:#4x23.32 M2
6.	SCREW:#4x34.5 M2
7.	

USB A(M)	PIN OUT	USB MicroB(M)
1	RED	1
2	WHITE	2
3	GREEN	3
4	BLACK	5
5	BLUE	6
6	YELLOW	7
7	DRAIN WIRE	8
8	PURPLE	9
9	ORANGE	10
SHELL	BRAID	SHELL

Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSH-xmLA				mm
Drawing Name		Drawn	Date	REV.
USB 3.0 A to MicroB Cable M/M				1.0




L:

CBL-HFD3igMBSS-7mRA 7000mm±50mm
 CBL-HFD3igMBSS-8mRA 8000mm±50mm
 CBL-HFD3igMBSS-9mRA 9000mm±50mm


No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	ABS ASSEMBLY HOUSING, BLACK COLOR
5.	SCREW:#4x33 M2
6.	PVC MOLDED HOUSING, BLACK COLOR
7.	SCREW:#4x34.5 M2

USB A(M)




PIN OUT


USB MicroB(M)



CBL-HFD3igMBSH-XmRA
 With short locking screws



Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSS-xmRA				mm
Drawing Name	Drawn	Date	REV.	
USB 3.0 A to MicroB Cable M/M				1.0



L:

CBL-HFD3igMBSHN-7mRA 7000mm±50mm

CBL-HFD3igMBSHN-8mRA 8000mm±50mm

CBL-HFD3igMBSHN-9mRA 9000mm±50mm

No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	ABS ASSEMBLY HOUSING, BLACK COLOR
5.	SCREW:#4x23.32 M2
6.	PVC MOLDED HOUSING, BLACK COLOR
7.	SCREW:#4x34.5 M2

PIN OUT


USB A(M)

1	RED
2	WHITE
3	GREEN
4	BLACK
5	BLUE
6	YELLOW
7	DRAIN WIRE
8	PURPLE
9	ORANGE
SHELL	BRAID

USB MicroB(M)

1	
2	
3	
5	
6	
7	
8	
9	
10	
SHELL	

Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSHN-xmRA				mm
Drawing Name	Drawn	Date	REV.	
USB 3.0 A to MicroB Cable M/M				1.0




L:

CBL-HFD3igMBSH-7mRA 7000mm±50mm
 CBL-HFD3igMBSH-8mRA 8000mm±50mm
 CBL-HFD3igMBSH-9mRA 9000mm±50mm

No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	PVC MOLDED HOUSING, BLACK COLOR
5.	SCREW:#4x23.32 M2
6.	SCREW:#4x34.5 M2
7.	

USB A(M)	PIN OUT	USB MicroB(M)
1	RED	1
2	WHITE	2
3	GREEN	3
4	BLACK	5
5	BLUE	6
6	YELLOW	7
7	DRAIN WIRE	8
8	PURPLE	9
9	ORANGE	10
SHELL	BRAID	SHELL

Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSH-xmRA				mm
Drawing Name		Drawn	Date	REV.
USB 3.0 A to MicroB Cable M/M				1.0




L:

CBL-HFD3igMBSS-7mUA 7000mm±50mm
 CBL-HFD3igMBSS-8mUA 8000mm±50mm
 CBL-HFD3igMBSS-9mUA 9000mm±50mm


No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	ABS ASSEMBLY HOUSING, BLACK COLOR
5.	SCREW:#4x33 M2
6.	PVC MOLDED HOUSING, BLACK COLOR
7.	SCREW:#4x34.5 M2

USB A(M)




PIN OUT


USB MicroB(M)



CBL-HFD3igMBSH-XmUA
 With short locking screws



Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSS-xmUA				mm
Drawing Name	Drawn	Date	REV.	
USB 3.0 A to MicroB Cable M/M				1.0




L:

CBL-HFD3igMBSHN-7mUA 7000mm±50mm
CBL-HFD3igMBSHN-8mUA 8000mm±50mm
CBL-HFD3igMBSHN-9mUA 9000mm±50mm

No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	ABS ASSEMBLY HOUSING, BLACK COLOR
5.	SCREW:#4x23.32 M2
6.	PVC MOLDED HOUSING, BLACK COLOR
7.	SCREW:#4x34.5 M2

USB A(M)	PIN OUT	USB MicroB(M)
1	RED	1
2	WHITE	2
3	GREEN	3
4	BLACK	5
5	BLUE	6
6	YELLOW	7
7	DRAIN WIRE	8
8	PURPLE	9
9	ORANGE	10
SHELL	BRAID	SHELL

Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSHN-xmUA				mm
Drawing Name	Drawn	Date	REV.	
USB 3.0 A to MicroB Cable M/M				1.0




L:

CBL-HFD3igMBSS-7mDA 7000mm±50mm
 CBL-HFD3igMBSS-8mDA 8000mm±50mm
 CBL-HFD3igMBSS-9mDA 9000mm±50mm


PIN OUT

USB A(M)




RED
 WHITE
 GREEN
 BLACK
 BLUE
 YELLOW
 DRAIN WIRE
 PURPLE
 ORANGE
 BRAID
 SHELL

USB MicroB(M)




CBL-HFD3igMBSH-XmDA
 With short locking screws



No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	ABS ASSEMBLY HOUSING, BLACK COLOR
5.	SCREW:#4x33 M2
6.	PVC MOLDED HOUSING, BLACK COLOR
7.	SCREW:#4x34.5 M2

Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSS-xmDA				mm
Drawing Name	Drawn	Date	REV.	
USB 3.0 A to MicroB Cable M/M				1.0




L:

CBL-HFD3igMBSHN-7mDA 7000mm±50mm
CBL-HFD3igMBSHN-8mDA 8000mm±50mm
CBL-HFD3igMBSHN-9mDA 9000mm±50mm

No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	ABS ASSEMBLY HOUSING, BLACK COLOR
5.	SCREW:#4x23.32 M2
6.	PVC MOLDED HOUSING, BLACK COLOR
7.	SCREW:#4x34.5 M2

USB A(M)	PIN OUT	USB MicroB(M)
1	RED	1
2	WHITE	2
3	GREEN	3
4	BLACK	5
5	BLUE	6
6	YELLOW	7
7	DRAIN WIRE	8
8	PURPLE	9
9	ORANGE	10
SHELL	BRAID	SHELL

Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSHN-xmDA				mm
Drawing Name	Drawn	Date	REV.	
USB 3.0 A to MicroB Cable M/M				1.0



L:


CBL-HFD3igMBSS-10m 10000mm±50mm

CBL-HFD3igMBSS-11m 11000mm±50mm

CBL-HFD3igMBSS-12m 12000mm±50mm


No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	ABS ASSEMBLY HOUSING, BLACK COLOR
5.	SCREW:#4x33 M2
6.	SCREW:#4x34.5 M2
7.	

USB A(M)




PIN OUT


USB MicroB(M)



CBL-HFD3igMBSH-Xm
With short locking screws




Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSS-xm				mm
Drawing Name		Drawn	Date	REV.
USB 3.0 A to Micro-B Cable M/M				1.0




L:
 CBL-HFD3igMBSS-10mLA 10000mm±50mm
 CBL-HFD3igMBSS-11mLA 11000mm±50mm
 CBL-HFD3igMBSS-12mLA 12000mm±50mm

No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	ABS ASSEMBLY HOUSING, BLACK COLOR
5.	SCREW:#4x33 M2
6.	PVC MOLDED HOUSING, BLACK COLOR
7.	SCREW:#4x34.5 M2


USB A(M)




PIN OUT




USB MicroB(M)



CBL-HFD3igMBSH-XmLA With short locking screws



Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSS-xmLA				mm
Drawing Name	Drawn	Date	REV.	
USB 3.0 A to Micro-B Cable M/M				1.0




L:
 CBL-HFD3igMBSHN-10mLA 10000mm±50mm
 CBL-HFD3igMBSHN-11mLA 11000mm±50mm
 CBL-HFD3igMBSHN-12mLA 12000mm±50mm

No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	ABS ASSEMBLY HOUSING, BLACK COLOR
5.	SCREW:#4x23.32 M2
6.	PVC MOLDED HOUSING, BLACK COLOR
7.	SCREW:#4x34.5 M2

USB A(M)	PIN OUT	USB MicroB(M)
1	RED	1
2	WHITE	2
3	GREEN	3
4	BLACK	5
5	BLUE	6
6	YELLOW	7
7	DRAIN WIRE	8
8	PURPLE	9
9	ORANGE	10
SHELL	BRAID	SHELL

Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSHN-xmLA				mm
Drawing Name	Drawn	Date	REV.	
USB 3.0 A to Micro-B Cable M/M				1.0



L:

CBL-HFD3igMBSH-10mLA	10000mm±50mm
CBL-HFD3igMBSH-11mLA	11000mm±50mm
CBL-HFD3igMBSH-12mLA	12000mm±50mm

No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	PVC MOLDED HOUSING, BLACK COLOR
5.	SCREW:#4x23.32 M2
6.	SCREW:#4x34.5 M2
7.	

PIN OUT


USB A(M)

1	RED
2	WHITE
3	GREEN
4	BLACK
5	BLUE
6	YELLOW
7	DRAIN WIRE
8	PURPLE
9	ORANGE
SHELL	BRAID

USB MicroB(M)

1	
2	
3	
5	
6	
7	
8	
9	
10	
SHELL	


Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSH-xmLA				mm
Drawing Name		Drawn	Date	REV.
USB 3.0 A to Micro-B Cable M/M				1.0



L:
 CBL-HFD3igMBSS-10mRA 10000mm±50mm
 CBL-HFD3igMBSS-11mRA 11000mm±50mm
 CBL-HFD3igMBSS-12mRA 12000mm±50mm


No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	ABS ASSEMBLY HOUSING, BLACK COLOR
5.	SCREW:#4x33 M2
6.	PVC MOLDED HOUSING, BLACK COLOR
7.	SCREW:#4x34.5 M2

USB A(M)




PIN OUT


USB MicroB(M)



CBL-HFD3igMBSH-XmRA
 With short locking screws



Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSS-xmRA				mm
Drawing Name	Drawn	Date	REV.	
USB 3.0 A to Micro-B Cable M/M				1.0




L:
 CBL-HFD3igMBSHN-10mRA 10000mm±50mm
 CBL-HFD3igMBSHN-11mRA 11000mm±50mm
 CBL-HFD3igMBSHN-12mRA 12000mm±50mm

No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	ABS ASSEMBLY HOUSING, BLACK COLOR
5.	SCREW:#4x23.32 M2
6.	PVC MOLDED HOUSING, BLACK COLOR
7.	SCREW:#4x34.5 M2

USB A(M)		PIN OUT		USB MicroB(M)	
1	—	RED	—	1	—
2	—	WHITE	—	2	—
3	—	GREEN	—	3	—
4	—	BLACK	—	5	—
5	—	BLUE	—	6	—
6	—	YELLOW	—	7	—
7	—	DRAIN WIRE	—	8	—
8	—	PURPLE	—	9	—
9	—	ORANGE	—	10	—
SHELL		BRAID		SHELL	

Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSHN-xmRA				mm
Drawing Name		Drawn	Date	REV.
USB 3.0 A to Micro-B Cable M/M				1.0



L:

CBL-HFD3igMBSH-10mRA	10000mm±50mm
CBL-HFD3igMBSH-11mRA	11000mm±50mm
CBL-HFD3igMBSH-12mRA	12000mm±50mm

PIN OUT

USB A(M)


1	RED
2	WHITE
3	GREEN
4	BLACK
5	BLUE
6	YELLOW
7	DRAIN WIRE
8	PURPLE
9	ORANGE
SHELL	BRAID

USB MicroB(M)

1	
2	
3	
5	
6	
7	
8	
9	
10	
SHELL	

No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	PVC MOLDED HOUSING, BLACK COLOR
5.	SCREW:#4x23.32 M2
6.	SCREW:#4x34.5 M2
7.	

Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSH-xmRA				mm
Drawing Name		Drawn	Date	REV.
USB 3.0 A to Micro-B Cable M/M				1.0




L:

CBL-HFD3igMBSS-10mUA	10000mm±50mm
CBL-HFD3igMBSS-11mUA	11000mm±50mm
CBL-HFD3igMBSS-12mUA	12000mm±50mm


No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	ABS ASSEMBLY HOUSING, BLACK COLOR
5.	SCREW:#4x33 M2
6.	PVC MOLDED HOUSING, BLACK COLOR
7.	SCREW:#4x34.5 M2

USB A(M)




PIN OUT


USB MicroB(M)



CBL-HFD3igMBSH-XmUA
With short locking screws



Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSS-xmUA				mm
Drawing Name	Drawn	Date	REV.	
USB 3.0 A to Micro-B Cable M/M				1.0




L:
 CBL-HFD3igMBSHN-10mUA 10000mm±50mm
 CBL-HFD3igMBSHN-11mUA 11000mm±50mm
 CBL-HFD3igMBSHN-12mUA 12000mm±50mm

No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	ABS ASSEMBLY HOUSING, BLACK COLOR
5.	SCREW:#4x23.32 M2
6.	PVC MOLDED HOUSING, BLACK COLOR
7.	SCREW:#4x34.5 M2

USB A(M)	PIN OUT	USB MicroB(M)
1	RED	1
2	WHITE	2
3	GREEN	3
4	BLACK	5
5	BLUE	6
6	YELLOW	7
7	DRAIN WIRE	8
8	PURPLE	9
9	ORANGE	10
SHELL	BRAID	SHELL

Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSHN-xmUA				mm
Drawing Name	Drawn	Date	REV.	
USB 3.0 A to Micro-B Cable M/M				1.0




L:


CBL-HFD3igMBSS-10mDA	10000mm±50mm
CBL-HFD3igMBSS-11mDA	11000mm±50mm
CBL-HFD3igMBSS-12mDA	12000mm±50mm

No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	ABS ASSEMBLY HOUSING, BLACK COLOR
5.	SCREW:#4x33 M2
6.	PVC MOLDED HOUSING, BLACK COLOR
7.	SCREW:#4x34.5 M2

USB A(M)




PIN OUT




USB MicroB(M)

CBL-HFD3igMBSH-XmDA
With short locking screws



SCREW:#4x23.32 M2

Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSS-xmDA				mm
Drawing Name	Drawn	Date	REV.	
USB 3.0 A to Micro-B Cable M/M				1.0




L:
 CBL-HFD3igMBSHN-10mDA 10000mm±50mm
 CBL-HFD3igMBSHN-11mDA 11000mm±50mm
 CBL-HFD3igMBSHN-12mDA 12000mm±50mm

No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	ABS ASSEMBLY HOUSING, BLACK COLOR
5.	SCREW:#4x23.32 M2
6.	PVC MOLDED HOUSING, BLACK COLOR
7.	SCREW:#4x34.5 M2

USB A(M)	PIN OUT	USB MicroB(M)
1	RED	1
2	WHITE	2
3	GREEN	3
4	BLACK	5
5	BLUE	6
6	YELLOW	7
7	DRAIN WIRE	8
8	PURPLE	9
9	ORANGE	10
SHELL	BRAID	SHELL


Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSHN-xmDA				mm
Drawing Name	Drawn	Date	REV.	
USB 3.0 A to Micro-B Cable M/M				1.0




L:
 CBL-HFD3igMBSS-13m 13000mm±50mm
 CBL-HFD3igMBSS-14m 14000mm±50mm
 CBL-HFD3igMBSS-15m 15000mm±50mm

No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	ABS ASSEMBLY HOUSING, BLACK COLOR
5.	SCREW:#4x33 M2
6.	SCREW:#4x34.5 M2
7.	

USB A(M)	PIN OUT	USB MicroB(M)
1 ———	RED	1 ———
2 — X —	WHITE	2 — X —
3 — X —	GREEN	3 — X —
4 ———	BLACK	4 ———
5 ———	BLUE	5 ———
6 ———	YELLOW	6 ———
7 ———	DRAIN WIRE	7 ———
8 ———	PURPLE	8 ———
9 ———	ORANGE	9 ———
SHELL ———	BRAID	SHELL ———




Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSS-xm				mm
Drawing Name	Drawn	Date	REV.	
USB 3.0 A to Micro-B Cable M/M				1.0




L:
 CBL-HFD3igMBSS-13m 13000mm±50mm
 CBL-HFD3igMBSS-14m 14000mm±50mm
 CBL-HFD3igMBSS-15m 15000mm±50mm

No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	PVC MOLDED HOUSING, BLACK COLOR
5.	SCREW:#4x33 M2
6.	SCREW:#4x34.5 M2

USB A(M)	PIN OUT	USB MicroB(M)
1 ———	RED	1 ———
2 — X —	WHITE	2 — X —
3 — X —	GREEN	3 — X —
4 ———	BLACK	4 ———
5 ———	BLUE	5 ———
6 ———	YELLOW	6 ———
7 —●—	DRAIN WIRE	7 ———
8 ———	PURPLE	8 ———
9 ———	ORANGE	9 ———
SHELL ———	BRAID	SHELL ———





Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSS-xm				mm
Drawing Name	Drawn	Date	REV.	
USB 3.0 A to Micro-B Cable M/M				1.0




L:
 CBL-HFD3igMBSS-13mLA 13000mm±50mm
 CBL-HFD3igMBSS-14mLA 14000mm±50mm
 CBL-HFD3igMBSS-15mLA 15000mm±50mm

No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	ABS ASSEMBLY HOUSING, BLACK COLOR
5.	SCREW:#4x33 M2
6.	PVC MOLDED HOUSING, BLACK COLOR
7.	SCREW:#4x34.5 M2



Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSS-xmLA				mm
Drawing Name	Drawn	Date	REV.	
USB 3.0 A to Micro-B Cable M/M				1.0




L:
 CBL-HFD3igMBSHN-13mLA 13000mm±50mm
 CBL-HFD3igMBSHN-14mLA 14000mm±50mm
 CBL-HFD3igMBSHN-15mLA 15000mm±50mm

No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	ABS ASSEMBLY HOUSING, BLACK COLOR
5.	SCREW:#4x23.32 M2
6.	PVC MOLDED HOUSING, BLACK COLOR
7.	SCREW:#4x34.5 M2

PIN OUT			
USB A(M)		USB MicroB(M)	
1	RED	1	
2	WHITE	2	
3	GREEN	3	
4	BLACK	5	
5	BLUE	6	
6	YELLOW	7	
7	DRAIN WIRE	8	
8	PURPLE	9	
9	ORANGE	10	
SHELL	BRAID	SHELL	

Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSHN-xmLA				mm
Drawing Name		Drawn	Date	REV.
USB 3.0 A to Micro-B Cable M/M				1.0




L:
 CBL-HFD3igMBSH-13mLA 13000mm±50mm
 CBL-HFD3igMBSH-14mLA 14000mm±50mm
 CBL-HFD3igMBSH-15mLA 15000mm±50mm

No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	PVC MOLDED HOUSING, BLACK COLOR
5.	SCREW:#4x23.32 M2
6.	SCREW:#4x34.5 M2

PIN OUT		
USB A(M)		USB MicroB(M)
1	RED	1
2	WHITE	2
3	GREEN	3
4	BLACK	5
5	BLUE	6
6	YELLOW	7
7	DRAIN WIRE	8
8	PURPLE	9
9	ORANGE	10
SHELL	BRAID	SHELL


Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSH-xmLA				mm
Drawing Name		Drawn	Date	REV.
USB 3.0 A to Micro-B Cable M/M				1.0



L:
 CBL-HFD3igMBSS-13mRA 13000mm±50mm
 CBL-HFD3igMBSS-14mRA 14000mm±50mm
 CBL-HFD3igMBSS-15mRA 15000mm±50mm


No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	ABS ASSEMBLY HOUSING, BLACK COLOR
5.	SCREW:#4x33 M2
6.	PVC MOLDED HOUSING, BLACK COLOR
7.	SCREW:#4x34.5 M2

USB A(M)




SHELL

PIN OUT




BRAD

USB MicroB(M)




SHELL

CBL-HFD3igMBSH-XmRA
 With short locking screws



SCREW:#4x23.32 M2

Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSS-xmRA				mm
Drawing Name	Drawn	Date	REV.	
USB 3.0 A to Micro-B Cable M/M				1.0




L:
 CBL-HFD3igMBSHN-13mRA 13000mm±50mm
 CBL-HFD3igMBSHN-14mRA 14000mm±50mm
 CBL-HFD3igMBSHN-15mRA 15000mm±50mm

No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	ABS ASSEMBLY HOUSING, BLACK COLOR
5.	SCREW:#4x23.32 M2
6.	PVC MOLDED HOUSING, BLACK COLOR
7.	SCREW:#4x34.5 M2

PIN OUT		USB A(M)	USB MicroB(M)
1	RED	1	1
2	WHITE	2	2
3	GREEN	3	3
4	BLACK	4	5
5	BLUE	5	6
6	YELLOW	6	7
7	DRAIN WIRE	7	8
8	PURPLE	8	9
9	ORANGE	9	10
SHELL	BRAID	SHELL	SHELL

Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSHN-xmRA				mm
Drawing Name		Drawn	Date	REV.
USB 3.0 A to Micro-B Cable M/M				1.0



L:
 CBL-HFD3igMBSH-13mRA 13000mm±50mm
 CBL-HFD3igMBSH-14mRA 14000mm±50mm
 CBL-HFD3igMBSH-15mRA 15000mm±50mm

No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	PVC MOLDED HOUSING, BLACK COLOR
5.	SCREW:#4x23.32 M2
6.	SCREW:#4x34.5 M2

PIN OUT


USB A(M)

1 ——— RED
 2 ——— WHITE
 3 ——— GREEN
 4 ——— BLACK
 5 ——— BLUE
 6 ——— YELLOW
 7 ——— DRAIN WIRE
 8 ——— PURPLE
 9 ——— ORANGE
 SHELL ——— BRAID

USB MicroB(M)



1 ——— 1
 2 ——— 2
 3 ——— 3
 5 ——— 5
 6 ——— 6
 7 ——— 7
 8 ——— 8
 9 ——— 9
 10 ——— 10
 SHELL ——— SHELL

Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSH-xmRA				mm
Drawing Name		Drawn	Date	REV.
USB 3.0 A to Micro-B Cable M/M				1.0




L:
 CBL-HFD3igMBSS-13mUA 13000mm±50mm
 CBL-HFD3igMBSS-14mUA 14000mm±50mm
 CBL-HFD3igMBSS-15mUA 15000mm±50mm

No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	ABS ASSEMBLY HOUSING, BLACK COLOR
5.	SCREW:#4x33 M2
6.	PVC MOLDED HOUSING, BLACK COLOR
7.	SCREW:#4x34.5 M2



Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSS-xmUA				mm
Drawing Name	Drawn	Date	REV.	
USB 3.0 A to Micro-B Cable M/M				1.0



L:
 CBL-HFD3igMBSHN-13mUA 13000mm±50mm
 CBL-HFD3igMBSHN-14mUA 14000mm±50mm
 CBL-HFD3igMBSHN-15mUA 15000mm±50mm

No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	ABS ASSEMBLY HOUSING, BLACK COLOR
5.	SCREW:#4x23.32 M2
6.	PVC MOLDED HOUSING, BLACK COLOR
7.	SCREW:#4x34.5 M2

PIN OUT


USB A(M)

1 ——— RED
 2 ——— WHITE
 3 ——— GREEN
 4 ——— BLACK
 5 ——— BLUE
 6 ——— YELLOW
 7 ——— DRAIN WIRE
 8 ——— PURPLE
 9 ——— ORANGE
 SHELL ——— BRAID

USB MicroB(M)

1 ——— 1
 2 ——— 2
 3 ——— 3
 5 ——— 5
 6 ——— 6
 7 ——— 7
 8 ——— 8
 9 ——— 9
 10 ——— 10
 SHELL ——— SHELL


Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSHN-xmUA				mm
Drawing Name		Drawn	Date	REV.
USB 3.0 A to Micro-B Cable M/M				1.0




L:
 CBL-HFD3igMBSS-13mDA 13000mm±50mm
 CBL-HFD3igMBSS-14mDA 14000mm±50mm
 CBL-HFD3igMBSS-15mDA 15000mm±50mm

No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	ABS ASSEMBLY HOUSING, BLACK COLOR
5.	SCREW:#4x33 M2
6.	PVC MOLDED HOUSING, BLACK COLOR
7.	SCREW:#4x34.5 M2

USB A(M)	PIN OUT	USB MicroB(M)
1 ———	RED	1 ———
2 ———	WHITE	2 ———
3 ———	GREEN	3 ———
4 ———	BLACK	5 ———
5 ———	BLUE	6 ———
6 ———	YELLOW	7 ———
7 ———	DRAIN WIRE	8 ———
8 ———	PURPLE	9 ———
9 ———	ORANGE	10 ———
SHELL ———	BRAID	SHELL ———



Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSS-xmDA				mm
Drawing Name	Drawn	Date	REV.	
USB 3.0 A to Micro-B Cable M/M				1.0




L:
 CBL-HFD3igMBSHN-13mDA 13000mm±50mm
 CBL-HFD3igMBSHN-14mDA 14000mm±50mm
 CBL-HFD3igMBSHN-15mDA 15000mm±50mm

No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	ABS ASSEMBLY HOUSING, BLACK COLOR
5.	SCREW:#4x23.32 M2
6.	PVC MOLDED HOUSING, BLACK COLOR
7.	SCREW:#4x34.5 M2

USB A(M)		PIN OUT	USB MicroB(M)	
1	—	RED	1	—
2	—	WHITE	2	—
3	—	GREEN	3	—
4	—	BLACK	5	—
5	—	BLUE	6	—
6	—	YELLOW	7	—
7	—	DRAIN WIRE	8	—
8	—	PURPLE	9	—
9	—	ORANGE	10	—
SHELL	—	BRAID	SHELL	—

Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSHN-xmDA				mm
Drawing Name		Drawn	Date	REV.
USB 3.0 A to Micro-B Cable M/M				1.0




L:

CBL-HFD3igMBSS-16m	16000mm±50mm
CBL-HFD3igMBSS-17m	17000mm±50mm
CBL-HFD3igMBSS-18m	18000mm±50mm
CBL-HFD3igMBSS-19m	19000mm±50mm
CBL-HFD3igMBSS-20m	20000mm±50mm


No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	ABS ASSEMBLY HOUSING, BLACK COLOR
5.	SCREW:#4x33 M2
6.	SCREW:#4x34.5 M2
7.	

USB A(M)	PIN OUT	USB MicroB(M)
1	RED	1
2	WHITE	2
3	GREEN	3
4	BLACK	5
5	BLUE	6
6	YELLOW	7
7	DRAIN WIRE	8
8	PURPLE	9
9	ORANGE	10
SHELL	BRAID	SHELL

CBL-HFD3igMBSH-Xm
With short locking screws



Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSS-xm				mm
Drawing Name	Drawn	Date	REV.	
USB 3.0 A to Micro-B Cable M/M				1.0




L:

CBL-HFD3igMBSS-16m	16000mm±50mm
CBL-HFD3igMBSS-17m	17000mm±50mm
CBL-HFD3igMBSS-18m	18000mm±50mm
CBL-HFD3igMBSS-19m	19000mm±50mm
CBL-HFD3igMBSS-20m	20000mm±50mm


No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	PVC MOLDED HOUSING, BLACK COLOR
5.	SCREW:#4x33 M2
6.	SCREW:#4x34.5 M2

USB A(M)




PIN OUT


USB MicroB(M)



CBL-HFD3igMBSH-Xm
with short locking screws



Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSS-xm				mm
Drawing Name		Drawn	Date	REV.
USB 3.0 A to Micro-B Cable M/M				1.0




L:

CBL-HFD3igMBSS-16mLA	16000mm±50mm
CBL-HFD3igMBSS-17mLA	17000mm±50mm
CBL-HFD3igMBSS-18mLA	18000mm±50mm
CBL-HFD3igMBSS-19mLA	19000mm±50mm
CBL-HFD3igMBSS-20mLA	20000mm±50mm


No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	ABS ASSEMBLY HOUSING, BLACK COLOR
5.	SCREW:#4x33 M2
6.	PVC MOLDED HOUSING, BLACK COLOR
7.	SCREW:#4x34.5 M2

USB A(M)




PIN OUT

USB MicroB(M)




CBL-HFD3igMBSS-XmLA
With short locking screws



SCREW:#4x23.32 M2

Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSS-xmLA				mm
Drawing Name	Drawn	Date	REV.	
USB 3.0 A to Micro-B Cable M/M				1.0




L:	
CBL-HFD3igMBSHN-16mLA	16000mm±50mm
CBL-HFD3igMBSHN-17mLA	17000mm±50mm
CBL-HFD3igMBSHN-18mLA	18000mm±50mm
CBL-HFD3igMBSHN-19mLA	19000mm±50mm
CBL-HFD3igMBSHN-20mLA	20000mm±50mm

No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	ABS ASSEMBLY HOUSING, BLACK COLOR
5.	SCREW:#4x23.32 M2
6.	PVC MOLDED HOUSING, BLACK COLOR
7.	SCREW:#4x34.5 M2

USB A(M)	PIN OUT	USB MicroB(M)
1	RED	1
2	WHITE	2
3	GREEN	3
4	BLACK	5
5	BLUE	6
6	YELLOW	7
7	DRAIN WIRE	8
8	PURPLE	9
9	ORANGE	10
SHELL	BRAID	SHELL

Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSHN-xmLA				mm
Drawing Name	Drawn	Date	REV.	
USB 3.0 A to Micro-B Cable M/M			1.0	




L:	
CBL-HFD3igMBSH-16mLA	16000mm±50mm
CBL-HFD3igMBSH-17mLA	17000mm±50mm
CBL-HFD3igMBSH-18mLA	18000mm±50mm
CBL-HFD3igMBSH-19mLA	19000mm±50mm
CBL-HFD3igMBSH-20mLA	20000mm±50mm


No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	PVC MOLDED HOUSING, BLACK COLOR
5.	SCREW:#4x23.32 M2
6.	SCREW:#4x34.5 M2

PIN OUT


USB A(M)



USB MicroB(M)



Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSH-xmLA				mm
Drawing Name		Drawn	Date	REV.
USB 3.0 A to Micro-B Cable M/M				1.0




L:

CBL-HFD3igMBSS-16mRA	16000mm±50mm
CBL-HFD3igMBSS-17mRA	17000mm±50mm
CBL-HFD3igMBSS-18mRA	18000mm±50mm
CBL-HFD3igMBSS-19mRA	19000mm±50mm
CBL-HFD3igMBSS-20mRA	20000mm±50mm


No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	ABS ASSEMBLY HOUSING, BLACK COLOR
5.	SCREW:#4x33 M2
6.	PVC MOLDED HOUSING, BLACK COLOR
7.	SCREW:#4x34.5 M2

USB A(M)




PIN OUT


USB MicroB(M)



CBL-HFD3igMBSS-XmRA
With short locking screws



Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSS-xmRA				mm
Drawing Name	Drawn	Date	REV.	
USB 3.0 A to Micro-B Cable M/M				1.0




L:	
CBL-HFD3igMBSHN-16mRA	16000mm±50mm
CBL-HFD3igMBSHN-17mRA	17000mm±50mm
CBL-HFD3igMBSHN-18mRA	18000mm±50mm
CBL-HFD3igMBSHN-19mRA	19000mm±50mm
CBL-HFD3igMBSHN-20mRA	20000mm±50mm

No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	ABS ASSEMBLY HOUSING, BLACK COLOR
5.	SCREW:#4x23.32 M2
6.	PVC MOLDED HOUSING, BLACK COLOR
7.	SCREW:#4x34.5 M2

USB A(M)	PIN OUT	USB MicroB(M)
1	RED	1
2	WHITE	2
3	GREEN	3
4	BLACK	5
5	BLUE	6
6	YELLOW	7
7	DRAIN WIRE	8
8	PURPLE	9
9	ORANGE	10
SHELL	BRAID	SHELL

Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSHN-xmRA				mm
Drawing Name	Drawn	Date	REV.	
USB 3.0 A to Micro-B Cable M/M			1.0	




L:
 CBL-HFD3igMBSH-16mRA 16000mm±50mm
 CBL-HFD3igMBSH-17mRA 17000mm±50mm
 CBL-HFD3igMBSH-18mRA 18000mm±50mm
 CBL-HFD3igMBSH-19mRA 19000mm±50mm
 CBL-HFD3igMBSH-20mRA 20000mm±50mm


No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	PVC MOLDED HOUSING, BLACK COLOR
5.	SCREW:#4x23.32 M2
6.	SCREW:#4x34.5 M2

PIN OUT


USB A(M)



USB MicroB(M)



Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSH-xmRA				mm
Drawing Name		Drawn	Date	REV.
USB 3.0 A to Micro-B Cable M/M				1.0




L:

CBL-HFD3igMBSS-16mUA	16000mm±50mm
CBL-HFD3igMBSS-17mUA	17000mm±50mm
CBL-HFD3igMBSS-18mUA	18000mm±50mm
CBL-HFD3igMBSS-19mUA	19000mm±50mm
CBL-HFD3igMBSS-20mUA	20000mm±50mm


No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	ABS ASSEMBLY HOUSING, BLACK COLOR
5.	SCREW:#4x33 M2
6.	PVC MOLDED HOUSING, BLACK COLOR
7.	SCREW:#4x34.5 M2

USB A(M)




PIN OUT


USB MicroB(M)



CBL-HFD3igMBSH-XmUA
With short locking screws



Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSS-xmUA				mm
Drawing Name	Drawn	Date	REV.	
USB 3.0 A to Micro-B Cable M/M				1.0




L:	
CBL-HFD3igMBSHN-16mUA	16000mm±50mm
CBL-HFD3igMBSHN-17mUA	17000mm±50mm
CBL-HFD3igMBSHN-18mUA	18000mm±50mm
CBL-HFD3igMBSHN-19mUA	19000mm±50mm
CBL-HFD3igMBSHN-20mUA	20000mm±50mm

No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	ABS ASSEMBLY HOUSING, BLACK COLOR
5.	SCREW:#4x23.32 M2
6.	PVC MOLDED HOUSING, BLACK COLOR
7.	SCREW:#4x34.5 M2

USB A(M)	PIN OUT	USB MicroB(M)
1	RED	1
2	WHITE	2
3	GREEN	3
4	BLACK	5
5	BLUE	6
6	YELLOW	7
7	DRAIN WIRE	8
8	PURPLE	9
9	ORANGE	10
SHELL	BRAID	SHELL

Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSHN-xmUA				mm
Drawing Name	Drawn	Date	REV.	
USB 3.0 A to Micro-B Cable M/M				1.0




L:

CBL-HFD3igMBSS-16mDA	16000mm±50mm
CBL-HFD3igMBSS-17mDA	17000mm±50mm
CBL-HFD3igMBSS-18mDA	18000mm±50mm
CBL-HFD3igMBSS-19mDA	19000mm±50mm
CBL-HFD3igMBSS-20mDA	20000mm±50mm


No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	ABS ASSEMBLY HOUSING, BLACK COLOR
5.	SCREW:#4x33 M2
6.	PVC MOLDED HOUSING, BLACK COLOR
7.	SCREW:#4x34.5 M2

USB A(M)




PIN OUT


USB MicroB(M)



CBL-HFD3igMBSS-XmDA
With short locking screws



Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSS-xmDA				mm
Drawing Name	Drawn	Date	REV.	
USB 3.0 A to Micro-B Cable M/M				1.0



L:

CBL-HFD3igMBSHN-16mDA	16000mm±50mm
CBL-HFD3igMBSHN-17mDA	17000mm±50mm
CBL-HFD3igMBSHN-18mDA	18000mm±50mm
CBL-HFD3igMBSHN-19mDA	19000mm±50mm
CBL-HFD3igMBSHN-20mDA	20000mm±50mm

No	MATERIALS LIST:
1.	CABLE:UL20276 (2x(2x28AWG)+2x(2x28AWG)C) OD:7.0mm PUR JACKET COLOR:RED LILAC
2.	CONNECTOR:USB 3.0 A/M, 9P, BLUE INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
3.	CONNECTOR:USB 3.0 MicroB/M, 10P, BLACK INSULATOR SOLDER TYPE, NICKEL PLATED SHELL
4.	ABS ASSEMBLY HOUSING, BLACK COLOR
5.	SCREW:#4x23.32 M2
6.	PVC MOLDED HOUSING, BLACK COLOR
7.	SCREW:#4x34.5 M2

USB A(M)	PIN OUT	USB MicroB(M)
1	RED	1
2	WHITE	2
3	GREEN	3
4	BLACK	5
5	BLUE	6
6	YELLOW	7
7	DRAIN WIRE	8
8	PURPLE	9
9	ORANGE	10
SHELL	BRAID	SHELL

Jargy part no.	Client part no.	Approved	SCALE	UNIT
CBL-HFD3igMBSHN-xmDA				mm
Drawing Name		Drawn	Date	REV.
USB 3.0 A to Micro-B Cable M/M				1.0