

JARGY CO., LTD.

Test Report

Model : CBL-HFPD3igMBS-3m
Camera Brand Name : Toshiba Teli

Ver : 1.0


Date : 2016/1/4

Test Platform

Type	NB		
Model	ASUS Transformer Book T300LA		
OS	Windows 8.1 Pro 64-bit		
CPU	Intel Core i5-4200U		
HDD	SATA III SSD 128GB		
RAM	DDR3 8GB		
USB 3.0	PCH 1 Ports(Intel Z87 Native)		

Tested Camera : BU406MC

Tested time : 99h



TeliU3vViewer

Camera Image Control Tool View Help

[Cap = 89.92 fps] View option

Image

OffsetX 0
OffsetY 0
Width 2048
Height 2048
ImageFormatSelector Format0
BinningHorizontal 0
BinningVertical 0

AcquisitionControl
AcquisitionFrameRateControl NoSpecify
AcquisitionFrameRate (Hz) 90.210 Min= 0.488 Max= 90.210
DriverSetting (SDK)
MaxPacketSize 65536
USBVisionSIRM
SIPRequiredPayloadSize 1104304

Log

Date (M/D H:M:...	Type	Code	Area	Message
12/31 14:52:01	Info	0x00000000	Image	SIPayloadTransferSize = 65536
12/31 14:52:01	Info	0x00000000	Image	SIPayloadTransferCount = 64
12/31 14:52:01	Info	0x00000000	Image	SIPayloadFinalTransfer1Size = 0
12/31 14:52:01	Info	0x00000000	Image	SIPayloadFinalTransfer2Size = 0
12/31 14:52:01	Info	0x00000000	Main Frame	Camera Open Success.
12/31 14:52:05	Info	0x00000000	Main Frame	Grab Start.

CameraName: BU406MC - 0100019

上午 11:43
2016/1/4