

# JARGY CO., LTD.

## Test Report

Model : CBL-PD302MBS-3m

Ver : 1.0

Date : 2015/12/17

Camera Brand Name : Toshiba Teli

### Test Platform

Type	NB		
Model	ASUS Transformer Book T300LA		
OS	Windows 8.1 Pro 64-bit		
CPU	Intel Core i5-4200U		
HDD	SATA III SSD 128GB		
RAM	DDR3 8GB		
USB 3.0	PCH 1 Ports(Intel Z87 Native)		


Tested Camera : BU406MC

Tested time : 72h



TeliU3vViewer

Camera Image Control Tool View Help



[Cap = 89.81 fps] View option



Image

PixelSize: Bpp8

OffsetX: 0

OffsetY: 0

Width: 2048

Height: 2048

ImageFormatSelector: Format0

BinningHorizontal: 0

BinningVertical: 0

Log

Err:0 Warn:0 Info:6

Date (M/D H:M:S)	Type	Code	Area	Message
12/14 09:41:14	Info	0x00000000	Image	SIPayloadTransferSize = 65536
12/14 09:41:14	Info	0x00000000	Image	SIPayloadTransferCount = 64
12/14 09:41:14	Info	0x00000000	Image	SIPayloadFinalTransfer1Size = 0
12/14 09:41:14	Info	0x00000000	Image	SIPayloadFinalTransfer2Size = 0
12/14 09:41:14	Info	0x00000000	Main Frame	Camera Open Success.
12/14 09:41:17	Info	0x00000000	Main Frame	Grab Start.

AcquisitionControl

AcquisitionFrameRateControl: NoSpecify

AcquisitionFrameRate (Hz): 90.210 (Min=0.488, Max=90.210)

DriverSetting (SDK)

MaxPacketSize: 65536

CameraName: BU406MC 0100019

上午 09:47 2015/12/17

# JARGY CO., LTD.

## Test Report

Model : CBL-PD302MBSWB-7m  
Camera Brand Name : Toshiba Teli

Ver : 1.0

Date : 2015/12/14

### Test Platform

Type	NB		
Model	ASUS Transformer Book T300LA		
OS	Windows 8.1 Pro 64-bit		
CPU	Intel Core i5-4200U		
HDD	SATA III SSD 128GB		
RAM	DDR3 8GB		
USB 3.0	PCH 1 Ports(Intel Z87 Native)		

Tested Camera : BU406MC

Tested time : 72h





