

JARGY CO., LTD.

Test Report

Model :CBL-PD302MBSWB-5m

Ver : 1.0

Date : 2017/8/4


Camera Brand Name : **Toshiba Teli**

Test Platform

Type	USB3 CAM Control System		
Model	Advantech AIIS-1440		
OS	Windows 7 Pro 64-bit		
CPU	Intel Core i7-3770		
HDD	SATA III 500GB		
RAM	DDR3 16GB		
USB 3.0	Dedicated controller 4 Ports (uPD720202)		

Tested Camera : **BU238MC** (1920 x 1200, 2.3MP, 165fps, 380MB/s) + **BU302MCF** (2048 x 1536, 3.15MP, 120fps, 377MB/s) + **BU406MC** (2048 x 2048, 4.19MP, 90fps, 377MB/s)

Tested time :**55h**



TeliU3vViewer

Camera Image Control Tool View Help

[Cap = 165.01 fps] View option

BU238MC

ImageFormatControl

PixelFormat: BayerBG8 Bitshift (for Viewer): 0

PixelCoding: BayerBG Bayer convert (for Viewer):

PixelSize: Bpp8

OffsetX: 0 OffsetY: 0

Width: 1920 Height: 1200

ImageFormatSelector: Format0

BinningHorizontal: 0 BinningVertical: 0

AcquisitionControl

AcquisitionFrameRateControl: NoSpecify

AcquisitionFrameRate (Hz): 165.161 Min=0.488 Max=165.161

DriverSetting (SDK)

Log

Date (M/D H:M:S)	Type	Code
08/02 09:17:18	Info	0x00000000
08/02 09:17:18	Info	0x00000000
08/02 09:17:18	Info	0x00000000
08/02 09:17:18	Info	0x00000000
08/02 09:17:18	Info	0x00000000
08/02 09:17:20	Info	0x00000000

CameraName : BU238MC - 0150181

TeliU3vViewer

Camera Image Control Tool View Help

[Cap = 120.18 fps] View option

BU302MCF

ImageFormatControl

PixelFormat: BayerBG8 Bitshift (for Viewer): 0

PixelCoding: BayerBG Bayer convert (for Viewer):

PixelSize: Bpp8

OffsetX: 0 OffsetY: 0

Width: 2048 Height: 2048

ImageFormatSelector: Format0

BinningHorizontal: 0 BinningVertical: 0

AcquisitionControl

AcquisitionFrameRateControl: NoSpecify

AcquisitionFrameRate (Hz): 120.056 Min=0.488 Max=120.056

DriverSetting (SDK)

Log

Date (M/D H:M:S)	Type	Code
08/02 09:18:32	Info	0x00000000
08/02 09:18:33	Info	0x00000000

CameraName : BU302MCF - 0500010

TeliU3vViewer

Camera Image Control Tool View Help

[Cap = 90.06 fps] View option

BU406MC

ImageFormatControl

PixelFormat: BayerBG8 Bitshift (for Viewer): 0

PixelCoding: BayerGR Bayer convert (for Viewer):

PixelSize: Bpp8

OffsetX: 0 OffsetY: 0

Width: 2048 Height: 2048

ImageFormatSelector: Format0

BinningHorizontal: 0 BinningVertical: 0

AcquisitionControl

AcquisitionFrameRateControl: NoSpecify

AcquisitionFrameRate (Hz): 90.210 Min=0.488 Max=90.210

DriverSetting (SDK)

Log

Date (M/D H:M:S)	Type	Code
08/02 09:18:52	Info	0x00000000
08/02 09:18:55	Info	0x00000000

CameraName : BU406MC - 0100019