

JARGY CO., LTD.

Test Report

Model : [CBL-PD302MBSWB-5m](#)
Camera Brand Name : [Toshiba Teli](#)

Ver : 1.0


Date : 2017/8/21

Test Platform

Type	USB3 CAM Control System		
Model	Advantech AIIS-1440		
OS	Windows 7 Pro 64-bit		
CPU	Intel Core i7-3770		
HDD	SATA III 500GB		
RAM	DDR3 16GB		
USB 3.0	Dedicated controller 4 Ports (uPD720202)		

Tested Camera : [BU505MCF](#) (2448 x 2048, 5MP, 75fps, 376MB/s)

Tested time : [120h](#)



TeliU3vViewer

Camera Image Control Tool View Help

Icons: Camera, Image, Control, Tool, View, Help, XML, Reg, Ww, Vc

[Cap = 75.86 fps] View option



Image

ImageFormatControl

PixelFormat: BayerBG8 Bitshift (for Viewer): 0

PixelCoding: BayerBG Bayer convert (for Viewer):

PixelSize: Epp8

OffsetX: 0

OffsetY: 0

Width: 2448

Height: 2048

ImageFormatSelector: Format0

BinningHorizontal: 0

BinningVertical: 0

Acquisition Control

AcquisitionFrameRateControl: NoSpecify

AcquisitionFrameRate (Hz): 75.806 (Min=0.488, Max=75.806)

DriverSetting (SDK)

MaxPacketSize: 65536

Log

Err:0 Warn:0 Info:11

Date (M/D H:M:S)	Type	Code	Area	Message
08/16 08:03:40	Info	0x00000000	Image	SIPayloadTransferSize = 65536
08/16 08:03:40	Info	0x00000000	Image	SIPayloadTransferCount = 229
08/16 08:03:40	Info	0x00000000	Image	SIPayloadFinalTransfer1Size = 32768
08/16 08:03:40	Info	0x00000000	Image	SIPayloadFinalTransfer2Size = 0
08/16 08:03:40	Info	0x00000000	Main Frame	Camera Open Success.
08/16 08:03:44	Info	0x00000000	Image	PixelCoding = 0x00000069
08/16 08:03:44	Info	0x00000000	Image	SIPayloadTransferSize = 65536
08/16 08:03:44	Info	0x00000000	Image	SIPayloadTransferCount = 76
08/16 08:03:44	Info	0x00000000	Image	SIPayloadFinalTransfer1Size = 32768
08/16 08:03:44	Info	0x00000000	Image	SIPayloadFinalTransfer2Size = 0
08/16 08:03:46	Info	0x00000000	Main Frame	Grab Start.

CameraName : BU505MCF - 0500207

Windows taskbar: 開始, Internet Explorer, File Explorer, VLC, uEye, Teli, SEN, Teli

System tray: 上午 08:13 2017/8/21