

JARGY CO., LTD.

Test Report

Model : CBL-USPD302MBS-3m
Camera Brand Name : Point Grey

Ver : 1.0

Date : 2015/8/3

Test Platform

Type	PC		
Model	ASUS X99-PRO/USB3.1		
OS	Windows 8.1 Pro 64-bit		
CPU	Intel Haswell-E i7-5960X		
HDD	SATA III 500GB		
RAM	DDR4 8GB		
USB 3.0	PCH 4 Ports(Intel X99 Native)		

Tested Camera : GS3-U3-23S6C-C

Tested time : 72h






Camera Information

Frame rate
... Processed: 163.45 fps
... Displayed: 163.61 fps
... Requested: 163.32 fps
... Received: 163.60 fps

Timestamp
... Seconds: Mon Aug 03 15:34:05 2015
... Microseconds: 98466
... Camera timestamp seconds: 81
... Camera timestamp count: 3585
... Camera timestamp offset: 2094

Image
... Width: 1920
... Height: 1200
... Pixel format: Raw 8
... Bits per pixel: 8

Embedded image information
Diagnostics
... Skipped frames: 0
... Link recovery count (camera): 0
... Link recovery count (host): 0
... Transmit failures: 0
... Packet Resend Requested: 0
... Packet Resend Received: 0
... Time since initialization: 72h 16m 21s
... Time since last bus reset: 72h 16m 21s



JARGY CO., LTD.

Test Report

Model : CBL-USD302MBS-5m
Camera Brand Name : Point Grey

Ver : 1.0

Date : 2015/10/26

Test Platform

Type	PC		
Model	GIGABYTE Z87-HD3		
OS	Windows 7 Home Premium 64Bit		
CPU	Intel Core i3-4130		
HDD	SATA III 500GB		
RAM	DDR3 4GB		
USB 3.0	PCH 6 Ports(Intel Z87 Native)		

Tested Camera : GS3-U3-23S6C-C
Tested time : 72h




FlyCap2 2.5.1.2 - Point Grey Research Grasshopper3 GS3-U3-23S6C 14303344

File View Settings Help

Camera Information

- [-] **Frame rate**
 - ... Processed: 193.66 fps
 - ... Displayed: 54.86 fps
 - ... Requested: 163.32 fps
 - ... Received: 163.28 fps
- [-] **Timestamp**
 - ... Seconds: N/A
 - ... Microseconds: 0
 - ... Camera timestamp seconds: 105
 - ... Camera timestamp count: 2172
 - ... Camera timestamp offset: 2176
- [-] **Image**
 - ... Width: 1920
 - ... Height: 1200
 - ... Pixel format: Raw 8
 - ... Bits per pixel: 8
- [+] **Embedded image information**
 - [-] **Diagnostics**
 - ... Skipped frames: 0
 - ... Link recovery count (camera): 0
 - ... Link recovery count (host): 0
 - ... Transmit failures: 0
 - ... Packet Resend Requested: 0
 - ... Packet Resend Received: 0
 - ... Time since initialization: 72h 4m 2s
 - ... Time since last bus reset: 72h 4m 2s



OK Frame Rate (Proc/Disp/Req): 242.69 fps / 33.09 fps / 163.32 fps Cursor: (N/A) | RGB: (N/A) Zoom: 33.0% | Image dimensions: (1920 x 1200) | Di:

JARGY CO., LTD.

Test Report

Model : CBL-USD302MBS-8m
Camera Brand Name : Point Grey


Ver : 1.0

Date : 2015/11/5

Test Platform

Type	PC		
Model	ASUS X99-PRO/USB3.1		
OS	Windows 8.1 Pro 64-bit		
CPU	Intel Haswell-E i7-5960X		
HDD	SATA III 500GB		
RAM	DDR4 8GB		
USB 3.0	PCH 4 Ports(Intel X99 Native)		

Tested Camera : GS3-U3-23S6C-C
Tested time : 72h





Camera Information

Frame rate

... Processed: 164.64 fps
... Displayed: 149.67 fps
... Requested: 163.32 fps
... Received: 163.60 fps

Timestamp

... Seconds: Thu Nov 05 18:25:08 2015
... Microseconds: 750922
... Camera timestamp seconds: 53
... Camera timestamp count: 3951
... Camera timestamp offset: 2660

Image

... Width: 1920
... Height: 1200
... Pixel format: Raw 8
... Bits per pixel: 8

Embedded image information

Diagnostics

... Skipped frames: 0
... Link recovery count (camera): 0
... Link recovery count (host): 0
... Transmit failures: 0
... Packet Resend Requested: 0
... Packet Resend Received: 0
... Time since initialization: 72h 3m 4s
... Time since last bus reset: 72h 3m 4s



JARGY CO., LTD.

Test Report

Model : CBL-USD302MBS-10m
Camera Brand Name : Point Grey

Ver : 1.0


Date : 2015/11/9

Test Platform

Type	PC		
Model	ASUS X99-PRO/USB3.1		
OS	Windows 8.1 Pro 64-bit		
CPU	Intel Haswell-E i7-5960X		
HDD	SATA III 500GB		
RAM	DDR4 8GB		
USB 3.0	PCH 4 Ports(Intel X99 Native)		

Tested Camera : GS3-U3-23S6C-C

Tested time : 86h




FlyCap2 2.6.3.4 - Point Grey Research Grasshopper3 **GS3-U3-23S6C** (14303344)

File View Settings Help

Camera Information

- Frame rate**
 - ... Processed: 161.22 fps
 - ... Displayed: 33.73 fps
 - ... Requested: 163.32 fps
 - ... Received: 163.60 fps
- Timestamp**
 - ... Seconds: Mon Nov 09 08:52:14 2015
 - ... Microseconds: 501706
 - ... Camera timestamp seconds: 35
 - ... Camera timestamp count: 1592
 - ... Camera timestamp offset: 1360
- Image**
 - ... Width: 1920
 - ... Height: 1200
 - ... Pixel format: Raw 8
 - ... Bits per pixel: 8
- Embedded image information**
 - Diagnostics**
 - ... Skipped frames: 0
 - ... Link recovery count (camera): 0
 - ... Link recovery count (host): 0
 - ... Transmit failures: 0
 - ... Packet Resend Requested: 0
 - ... Packet Resend Received: 0
 - ... Time since initialization: 86h 18m 15s
 - ... Time since last bus reset: 86h 18m 15s



OK | Frame Rate (Proc/Disp/Req): 239.23 fps / 25.05 fps / 163.32 fps | Cursor: (N/A) | RGB: (N/A) | Zoom: 25.0% | Image dimensions: (1920 x 1200)