

JARGY CO., LTD.

Test Report

Model : CBL-USPD302MBS-3m
Camera Brand Name : Point Grey

Ver : 1.0

Date : 2016/2/22

Test Platform

Type	NB		
Model	MAC		
OS	Windows 8.1 Pro 64-bit		
CPU	Intel Core i7-3615QM		
HDD	SATA III SSD 128GB		
RAM	DDR3 8GB		
USB 3.0	PCH 2 Ports(Intel Z77 Native)		

Tested Camera : GS3-U3-32S4C-C


Tested time : 87h





Camera Information

- Frame rate
 - Processed: 121.15 fps
 - Displayed: 120.55 fps
 - Requested: 121.21 fps
 - Received: 121.15 fps
- Timestamp
 - Seconds: Mon Feb 22 09:07:09 2016
 - Microseconds: 167987
 - Camera timestamp seconds: 54
 - Camera timestamp count: 6520
 - Camera timestamp offset: 2404
- Image
 - Width: 2048
 - Height: 1536
 - Pixel format: Raw 8
 - Bits per pixel: 8
- Embedded image information
 - Diagnostics
 - Skipped frames: 0
 - Link recovery count (camera): 0
 - Link recovery count (host): 0
 - Transmit failures: 0
 - Packet Resend Requested: 0
 - Packet Resend Received: 0
 - Time since initialization: 87h 48m 35s
 - Time since last bus reset: 87h 48m 35s



JARGY CO., LTD.

Test Report

Model : CBL-USD302MBS-5m
Camera Brand Name : Point Grey

Ver : 1.0


Date : 2016/3/21

Test Platform

Type NB		
Model MAC		
OS Windows 10 Pro 64-bit		
CPU Intel Core i7-4770HQ		
HDD SATA III SSD 256GB		
RAM DDR3 16GB		
USB 3.0 PCH 2 Ports(Intel Z87 Native)		

Tested Camera : GS3-U3-32S4C-C

Tested time : 90h



BL-302-7m
2
CBL-302-1
2
BL-302-15m
3m or CBL-
ect with a
nnected de
:02-15m ne
ower adapt

(3). CBL-7
(4). CBL-2
.....
The last CB
is recomme
power supp
But single C
power adap

ODD Sharing + MKS Sharing +
File Copy 3in1
Data Link Cable
4 in 1 Mouse + Keyboard +
File) S



Camera Information

Frame rate

- Processed: 121.18 fps
- Displayed: 120.20 fps
- Requested: 121.21 fps
- Received: 121.15 fps

Timestamp

- Seconds: Mon Mar 21 08:31:20
- Microseconds: 129628
- Camera timestamp seconds: 5
- Camera timestamp count: 080
- Camera timestamp offset: 062


Image

- Width: 2048
- Height: 1536
- Pixel format: Raw 8
- Bits per pixel: 8

Embedded image information

Diagnostics

- Skipped frames: 0
- Link recovery count (camera): 0
- Link recovery count (host): 0
- Transmit failures: 0
- Packet Resend Requested: 0
- Packet Resend Received: 0
- Time since initialization: 90h 2
- Time since last bus reset: 90h



JARGY CO., LTD.

Test Report

Model : CBL-USD302MBS-8m
Camera Brand Name : Point Grey


Ver : 1.0

Date : 2016/3/24

Test Platform

Type NB		
Model MAC		
OS Windows 10 Pro 64-bit		
CPU Intel Core i7-4770HQ		
HDD SATA III SSD 256GB		
RAM DDR3 16GB		
USB 3.0 PCH 2 Ports(Intel Z87 Native)		

Tested Camera : GS3-U3-32S4C-C
Tested time : 72h





Camera Information

Frame rate

- Processed: 121.16 fps
- Displayed: 142.23 fps
- Requested: 121.21 fps
- Received: 121.15 fps

Timestamp

- Seconds: Thu Mar 24 17:31:11 20
- Microseconds: 269883
- Camera timestamp seconds: 16
- Camera timestamp count: 0085
- Camera timestamp offset: 2208

Image

- Width: 2048
- Height: 1536
- Pixel format: Raw 8
- Bits per pixel: 8

Embedded image information

Diagnostics

- Skipped frames: 0
- Link recovery count (camera): 0
- Link recovery count (host): 0
- Transmit failures: 0
- Packet Resend Requested: 0
- Packet Resend Received: 0
- Time since initialization: 72h 25r
- Time since last bus reset: 72h 25r

